




Transportation Products Limited

Based on the highly successful B2000 model - probably the world's most successful Commercial Door Gear - the B2000MN has additional improvements, improvements borne out of customers comments incorporating the best features from other Bloxwich models into one "complete" door gear - the **B2000MN**



SMOOTH OPERATION

 Now supplied with "snap - on" anti seize bushes for fast simple assembly and smooth operation.

HIGH SECURITY

- Equipped with a long reach handle hub.
- Catch and retainer gives 3 point customs sealing facility.

HIGH STRENGTH


- Cams and handles forged from high tensile carbon manganese steel.
- Cast iron keepers.
- Wider cam shoulder maximises the resistance to racking loads.

USER FRIENDLY


- Cams and keepers are unhanded.
- Handle supplied with black PVC sleeve.
- Available with narrow base cam and keeper option.
- Can be supplied in loose part sets (without tube), variable height or fully welded ready for immediate fitting.

STYLISH


- Re designed bracketry.
- Handle sleeve can be supplied with customer's own logo. (subject to minimum order quantities.)




The long reach handle hub with a 3 - point catch and retainer prevents disengagement of handle in the event of rivet removal.




Handle supplied with black PVC sleeve. (Customer's own logo can be provided - subject to minimum order quantities.)



Still incorporating the robust long bodied design. The wider cam shoulder improves the resistance to racking loads.



New design brackets with anti - seize snap - on bushes.



Available with narrow base cam and keeper option for shallow header applications.

BLOXWICH TRANSPORTATION PRODUCTS LIMITED

Truck & Container Products Division

Chase Park Industrial Estate
Ring Road
Burntwood
Staffordshire
WS7 8JQ
England

Telephone: (01543) 673111

Facsimile: (01543) 676450

Email: container@bloxwich-c.u-net.com

Your Local Representative is:		
		a
	y - 1	